

SECRET

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

PHOTOGRAPHIC INTERPRETATION REPORT



25X1C

**VITAL RECORDS COPY
FIRE-CONTROL RADAR
MOUNTED ON ZSU-23/4
SELF-PROPELLED
ANTIAIRCRAFT GUN
7 NOVEMBER 1965
AND 1 MAY 1966
MOSKVA PARADES**

NPIC/R-33/67

MARCH 1967

GROUP 1 EXCLUDED FROM
AUTOMATIC DOWNGRADING
AND DECLASSIFICATION

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

SECRET

W A R N I N G

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

RECORD COPY	COPY NO.	PUB. DATE	LOCATION	MASTER	DATE RECEIVED	LOCATION
Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4						
CUT TO COPIES	DATE	CUT TO COPIES	DATE	COPIES DESTROYED		
25	7-69					
CUT TO COPIES	DATE	CUT TO COPIES	DATE			
10	7-71					
CUT TO COPIES	DATE	MASTER	DATE			
0	7-73					
DATE			NUMBER OF COPIES		DATE	
MO.	DAY	YR.	REC'D	ISS'D	BAL	
3	16	67	54		54	
11	7	69		29	25	
1	27	70		15	10	
10	16	72			0	WK 6
Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4						


NPIC/R-33/67

March 1967

DATE			RECEIVED OR ISSUED			NUMBER OF COPIES			DATE			RECEIVED OR ISSUED			NUMBER OF COPIES		
NO.	DAY	YR.				REC'D	ISS'D	BAL	NO.	DAY	YR.				REC'D	ISS'D	BAL
<div> <div>Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4</div> <div>25X10</div> <div>Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4</div> </div>																	

PREFACE

This report has been prepared in response to DIA requirement DIA-11-66 (ST-2) and provides mensuration details on the fire-control radar mounted on a ZSU-23/4 which was observed in both the 7 November 1965 and 1 May 1966 Moskva Parades.



25X1D

**FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTIAIRCRAFT GUN,
7 NOVEMBER 1965 AND 1 MAY 1966 MOSKVA PARADES**

DESCRIPTION

25X1D A fire-control radar mounted on a ZSU-23/4 vehicle was observed on [REDACTED] photography taken during the 7 November 1965 and the 1 May 1966 Moskva Parades. In addition to the side and rear elevations of the radar set shown in Figures 1 through 6, the elevation axis stop limits have been determined and are presented below.

25X1D The radar reflector and the elevation drive mechanism are mounted on 4 hydraulic shock absorbers (cylinders) which are fixed to a base plate [REDACTED]. The manner in which the hydraulic shocks (cylinders) converge to their mounting on this base plate seems to indicate that the radar set has an azimuthal rotation capability. Based on the radar's position shown in Figure 6, this is in fact true and the base plate is actually the housing for a roller track bearing and azimuth drive motor-type assembly.

The entire radar assembly can be folded down when not in use.

The coaxial cable is looped behind the reflector with sufficient slack to permit the antenna to move in the vertical plane (elevation).

The vertical plane movement is limited by the fixed stop plate which is fixed at [REDACTED] degrees above the horizontal axis of the vehicle and by 2 offset radial cuts on the elevation axis shaft housing (Figure 1) as making a 30 degree angle at the front and a 30 degree angle at the rear of the fixed stop plate. These radial cuts or rotating stop plates allow a 60 degree vertical movement. However, the forward rotating stop plate is elevated 16 degrees above the boresight, thus allowing the boresight to be lowered to a position approximately [REDACTED] degrees below the horizontal. This results in an approximate maximum boresight elevation limit of [REDACTED] degrees above the horizontal.




FIGURE 1. THREE-QUARTER TOP VIEW OF THE FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTIAIRCRAFT GUN, 1 MAY 1966.




FIGURE 2. RIGHT SIDE OF THE FIRE-CONTROL RADAR.

NPIC L-7046 (2/67)

25X1C

SECRET

NPIC/R-33/67




FIGURE 3. DIMENSIONAL DRAWING OF THE RIGHT SIDE OF THE FIRE-CONTROL RADAR.

NPIC L-7047 (2/67)


25X1C

SECRET

25X1C

SECRET

NPIC/R-33/67



SCALE 1:12
ALL DIMENSIONS IN FEET

FIGURE 4. DIMENSIONAL DRAWING OF THE BACK OF THE FIRE-CONTROL RADAR.

NPIC L-7048 (2/67)

25X1C

SECRET

25X1D

25X1D




FIGURE 5. RIGHT SIDE OF THE FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 7 NOVEMBER 1966. NPIC L-7049 (2/67)

25X1D

25X1D




FIGURE 6. QUARTER RIGHT VIEW OF RIGHT SIDES OF 2 FIRE-CONTROL RADARS MOUNTED ON ZSU-23 4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 1 MAY 1966.

REFERENCES

PHOTOGRAPHY

25X1D

DOCUMENT

25X1D

25X1C

1. DOD. *Soviet ZSU-23/4 Self-Propelled Antiaircraft Gun*, 31 Mar 66 (CONFIDENTIAL/No Foreign

RELATED DOCUMENT

DPIC (RCAF). 53.02.10/133, *ZSU-23 (?)/4 (USSR)*, 15 Dec 65 (SECRET)

REQUIREMENT

DIA-11-66 (ST-2)

NPIC PROJECT

11516/66

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4
25X1C

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4